EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	8	(headless with (system or communication)) (in$band or out$of$band) remote channel multiplex$3 (control with command)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/13 20:04
L3	10	(headless with (system or communication)) (in$band or out$of$band) remote channel multiplex$3 control command	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/13 20:28
L5	8	(headless with communication) UART	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/13 20:29
L6	15827	709/203,217-219,227.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L7	0	headless and rout$3 and (communicat$3 or transmi$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L8	5	rout$3 and (communicat$3 or transmi$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L9	5	rout$3 and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L10	8990	UART	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L11	5352	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09

EAST Search History

L12	2588	L11 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L13	1293	L12 and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L14	346	L12 and (multiplex$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L15	5208	L11 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L16	2532	L15 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L17	342	L16 and (multiplex$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L18	1257	L16 and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L19	774	L18 and (partition or sect$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L20	163	L19 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L21	1	L20 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09

EAST Search History

L22	163	L19 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L23	5352	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L24	5208	L23 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L25	427	L24 and (UART same multiplex$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L26	56	L24 and (UART near2 multiplex$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L27	56	L24 and (UART near2 multiplex$3) and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L28	15	L24 and (UART adj multiplex$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L29	24	L24 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L30	16	L29 and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L31	28	L26 and (provide or improve or better)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09

EAST Search History

L32	15827	709/203,217-219,227.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L33	0	headless and rout$3 and (communicat$3 or transmi$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L34	5	rout$3 and (communicat$3 or transmi$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L35	5	rout$3 and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L36	8990	UART	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L37	5352	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L38	2588	L37 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L39	1293	L38 and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L40	346	L38 and (multiplex$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L41	5208	L37 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09

EAST Search History

L42	2532	L41 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L43	342	L42 and (multiplex$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L44	1257	L42 and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L45	774	L44 and (partition or sect$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L46	163	L45 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L47	5352	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L48	5208	L47 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L49	24	L48 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L50	1	L46 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L51	56	L48 and (UART near2 multiplex$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09

EAST Search History

L52	56	L48 and (UART near2 multiplex$3) and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L53	15	L48 and (UART adj multiplex$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L54	16	L49 and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L55	28	L51 and (provide or improve or better)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L56	163	L45 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L57	427	L48 and (UART same multiplex$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L58	1	"6721868".pn.	USPAT	AND	ON	2006/08/14 00:09
L59	2	headless adj environment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L60	3545	headless	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L61	157	headless with (environment or operating)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09

EAST Search History

L62	17	(headless with (environment or operating)) "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L63	9157	UART	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L64	1762	UART (in$band or out$of$band or $boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L65	829	UART (in$band or out$of$band or $boot) multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L66	373	UART (in$band or out$of$band) multiplex$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L67	16	headless pre$boot	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L68	3644	UART multiplex$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L69	1179	UART multiplex$4 microcontroller	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L70	302	UART (in$band or out$of$band) multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L71	15827	709/203,217-219,227.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09

EAST Search History

L72	0	headless and rout$3 and (communicat$3 or transmi$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L73	5	rout$3 and (communicat$3 or transmi$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L74	5	rout$3 and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L75	8990	UART	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L76	5352	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L77	2588	L76 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L78	1293	L77 and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L79	346	L77 and (multiplex$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L80	5208	L76 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L81	2532	L80 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09

EAST Search History

L82	342	L81 and (multiplex$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L83	1257	L81 and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L84	774	L83 and (partition or sect$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L85	163	L84 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L86	5352	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L87	5208	L86 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L88	24	L87 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L89	15827	709/203,217-219,227.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L90	0	headless and rout$3 and (communicat$3 or transmi$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L91	5	rout$3 and (communicat$3 or transmi$5) and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09

L92	5	rout$3 and Eathernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L93	8990	UART	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L94	5352	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L95	2588	L94 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L96	1293	L95 and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L97	346	L95 and (multiplex$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L98	5208	L94 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L99	2532	L98 and remote	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L100	342	L99 and (multiplex$3 near4 control)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L101	1257	L99 and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09

EAST Search History

L102	774	L101 and (partition or sect$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L103	163	L102 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L104	5352	UART @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L105	5208	L104 not "International Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L106	24	L105 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L107	3545	headless	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L108	9157	UART	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L109	1762	UART (in$band or out$of$band or $boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L110	3644	UART multiplex$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L111	1	L85 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09

L112	1	L103 and (UART adj channel)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L113	1	"6721868".pn.	USPAT	AND	ON	2006/08/14 00:09
L114	56	L87 and (UART near2 multiplex$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L115	56	L87 and (UART near2 multiplex$3) and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L116	15	L87 and (UART adj multiplex$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L117	16	L88 and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L118	28	L114 and (provide or improve or better)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L119	56	L105 and (UART near2 multiplex$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L120	56	L105 and (UART near2 multiplex$3) and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L121	15	L105 and (UART adj multiplex$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09

L122	16	L106 and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L123	28	L119 and (provide or improve or better)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L124	2	headless adj environment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L125	17	(headless with (environment or operating)) "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L126	16	headless pre$boot	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L127	163	L84 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L128	163	L102 and Ethernet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L129	157	headless with (environment or operating)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L130	302	UART (in$band or out$of$band) multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L131	373	UART (in$band or out$of$band) multiplex$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09

EAST Search History

L132	427	L87 and (UART same multiplex$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L133	427	L105 and (UART same multiplex$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/08/14 00:09
L134	829	UART (in$band or out$of$band or $boot) multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L135	1179	UART multiplex$4 microcontroller	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L136	46	(headless with communication)	US-PGPUB; USPAT	AND	ON	2006/08/14 00:09
L137	53	(headless with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L138	50	(headless with communication) (manag$5 or maintenance or support$3 or service)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L139	16	(headless with communication) (manag$5 or maintenance or support$3 or service) (service with process$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L140	10	(headless with communication) (manag$5 or maintenance or support$3 or service) (service with process$3) (channel or in$band or outofband or pre$boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L141	40	L138 not L140	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09

EAST Search History

L142	9	(headless with communication) (manag$5 or maintenance or support$3 or service) (multiplex$3 or UART)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L143	53	(headless with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L144	269	(headless with (system or communication))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L145	178	(headless with (system or communication)) network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L146	38	(headless with (system or communication)) network (manag$5 or maintenance or support$3 or service) (service with process$3) (channel or in$band or outofband or pre$boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L147	12	(headless with (system or communication)) network (manag$5 or maintenance or support$3 or service) (service with process$3) (channel or in$band or outofband or pre$boot) (multiplex$3 or UART)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L148	9	L147 not L142	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L149	17	(headless with (system or communication)) network (manag$5 or maintenance or support$3 or service) (service with process$3) (in$band or outofband or pre$boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09

EAST Search History

L150	15	(headless with (system or communication)) network (manag$5 or maintenance or support$3 or service) (service with process$3) (in$band or outofband or pre$boot) (remote with (console or display or terminal))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L151	2	(headless with (system or communication)) in$band out$of$band	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L152	11	(headless with (system or communication)) (in$band or out$of$band)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L153	11	(headless with (system or communication)) (in$band or out$of$band) remote	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L154	11	(headless with (system or communication)) (in$band or out$of$band) remote channel	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L155	2	(headless with (system or communication)) (in$band or out$of$band) remote channel pre$boot	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09
L156	10	(headless with (system or communication)) (in$band or out$of$band) remote channel multiplex$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/08/14 00:09